




Performance Designs, Inc.
 1300 E. Int'l Speedway Blvd
 DeLand FL 32724
 Telephone: 386-738-2224
 Fax: 386-734-8297

LINE TRIM CHART
FOR
PD 9 135 -170



	PD-135	PD-150	PD-170
A1	118 1/2	126 3/4	134 3/4
A1-B1	3 3/4	3 1/2	3 3/4
A1-C1	8 1/2	9 5/8	10 5/8
A1-D1	16 3/4	17	18 1/4
A2	118 1/2	126 3/4	134 3/4
A2-B2	3 3/4	3 1/2	3 3/4
A2-C2	8 1/2	9 5/8	10 5/8
A2-D2	16 3/4	17	18 1/4
A3	118 1/2	126 3/4	134 3/4
A3-B3	3 3/4	3 1/2	3 3/4
A3-C3	8 1/2	9 5/8	10 5/8
A3-D3	16 3/4	17	18 1/4
A4	118 1/2	126 3/4	134 3/4
A4-B4	3 3/4	3 1/2	3 3/4
A4-C4	8 1/2	9 5/8	10 5/8
A4-D4	16 3/4	17	18 1/4
A5	118 1/2	126 3/4	134 3/4
A5-B5	3 3/4	3 1/2	3 3/4
A5-C5	8 1/2	9 5/8	10 5/8
A5-D5	16 3/4	17	18 1/4
LST	84	91 3/4	97
A5-UST1	8 1/2	8 1/2	8 1/2
A5-UST2	8 1/2	8 1/2	8 1/2
A5-UST3	8 1/2	8 1/2	8 1/2
A5-UST5	8 1/2	8 1/2	8 1/2
B STAB SLK	1/2	1/2	1/2
C STAB SLK	1	1	1
D STAB SLK	1 1/2	1 1/2	1 1/2
BK-TOG*	22 1/4	24 1/2	24 1/2
Standard Slider	23" Chord 31" Span	23" Chord 31" Span	23" Chord 31" Span

*Due to development methodology, the finished BK-TOG dimensions may not scale